

# DT4X2

We meet your needs



*We have added that little extra to the concept of wireless communication. Wherever you need reliable wireless communication, Ericsson has the system that will answer to your needs.*

## DT412

### Smart communication

The DT412 has all the functions you might want in a wireless telephone.

It's a slim and robust smart communication package for any type of working environment. The DT412 will perform well in any workplace. It's made to withstand dirt, water and a fall on the floor.



## DT422

### Secure communication

The DT422 cordless phone is a very robust, but slim cordless telephone, specially designed for workplaces where a high level of security is required. Its special features include a built-in personal alarm and a man-down/no-movement alarm. Rough environments will not stop the cordless phone from performing. It's constructed to withstand dirt, water and a fall on the floor.

## DT412

### Features

#### **2 in one – messaging, and cordless telephone**

- Robust, dustproof, waterproof, IP64
- Large, scratchproof, mechanically protected display
- Illuminated display and keypad
- SIM card for identity and personal settings
- Up to 10 modes with personalized settings
- 3 programmable soft keys for each mode
- 10 programmable hot keys
- Manual or automatic keypad lock
- Time and date indication
- Ring signal easily silenced
- Vibration alert
- Separate loudspeaker for ring signal and loudspeaker function
- Sending/receiving messages (SMS)
- Two different text sizes
- Headset connector standard, IP64 classified

### Benefits

#### **Always online**

The DT412 is a combination of versatile telephony and messaging, ensuring reliable access to vital information from building automation systems, production lines, Internet and intranet, as well as communication with other users. The DT412 is the optimum choice for people working in factories, hotels and hospitals or any workplace where people are constantly on the move and need to make contact with just the touch of a button.

#### **A multipurpose handset**

The DT412 is extremely durable, water-resistant, easy to handle, and comes standard with a large back-lit display, loudspeaker for hands-free operation, headset connector and a built-in vibration mode for silent notification.

## DT422

### Features

#### **3 in one – personal alarm, messaging, and cordless telephone**

- Robust, dustproof, waterproof, IP64
- Push button alarm
- No-movement, man-down alarms are standard
- Large, scratchproof, mechanically protected display
- Illuminated display and keypad
- SIM card for identity and personal settings
- Up to 10 modes with personalized settings
- 3 programmable soft keys for each mode
- 10 programmable hot keys
- Manual or automatic keypad lock
- Time and date indication
- Ring signal easily silenced
- Vibration alert
- Separate loudspeaker for ring signal and loudspeaker function
- Sending/receiving messages (SMS)
- Two different text sizes
- Headset connector standard, IP64 classified

### Benefits

#### **Voice, messaging, alarm and personal security**

The DT422 is part of a system combining voice communication, messaging, and personal alarm/security. It can be adapted to existing Ericsson systems or other open systems.

#### **Never alone**

The DT422 is the optimum choice for workplaces where maximum security and accessibility is required. In places such as correctional units, factories, and hospitals, with the built-in alarm, you are always close to assistance if you should need it. The alarms for “man-down” and “no-movement” are standard available in the DT422. The DT422 is your guardian and messenger at hand, just a touch of a button away.

#### **A multitasking telephone, loaded with “standard” Features**

The DT422 is an intelligent combination of telephony, messaging and alarm functions. It ensures reliable access to vital information from, machines, building automation systems, alarm systems, Internet and Intranet, as well as communication with other users. The DT422 is durable, water-resistant, easy to handle, and comes standard with a large backlit display, loudspeaker for hands-free operation, man-down, no-movement alarm, headset adapter and vibration mode for silent notification.

## Technical specifications (DT4X2)

### Physical

*Size (L x W x D):* 134 x 60 x 27  
*Weight:* 140 g  
 (battery included)

### Material

*Case:* PC/ABS and TPE  
 (free from silicone)  
*Key pad:* PC/ABS, illuminated  
 by Electro-luminescent film  
*Colour:* Dark grey and Dark  
 steel blue (DT412),  
 Dark grey and  
 Graphite (DT422)  
*Display (W x H):* 128 x 64 pixel LCD,  
 illuminated by  
 Electro-luminescent  
 film  
*Clip:* Hinge type (stan-  
 dard) or swivel type

### Environmental

*Operating  
 temperature:* 0°C – +40°C  
*Storage  
 temperature:* -20°C – +70°C

### Signals and volume

*Ring signal:* Adjustable in 5  
 steps (approx. 100  
 dB @ 10 cm)  
*Earpiece:* Adjustable in 4  
 steps

### Battery

*Type:* 550 mAh (NiMH)  
*Speech time<sup>1</sup>/  
 stand-by time:* 8 h / 80 h (no active  
 alarms)  
 5 h / 40 h (alarms  
 activated, DT422)  
*Charging time:* 1 h

### Languages:

11 languages are supported in the  
 handsets: (Danish, Dutch, English,  
 Finnish, French, German, Italian,  
 Norwegian, Portuguese, Spanish, and  
 Swedish)

### Phone book

*Maximum  
 name length:* 16 characters  
*Maximum  
 number length:* 22 digits  
*Entries:* 100

### Telephone Calls

*Receive a call:* Ring signal (5 differ-  
 ent), flashing LED,  
 and vibration mode  
*Answer a call:* Button press or  
 automatically  
*Call list  
 storage capacity:* 20 received, made,  
 and missed calls  
 with time stamp  
 (system dependent)

### Messaging

*Message length:* System dependent  
*Storage capacity:* 20 messages (total-  
 ly max 20000 char-  
 acters)

### Alarm (Only for DT422)

*Alarm types:* 2 push button  
 alarms  
 No-movement, Man-down  
 Alarm is system dependent

### System subscriptions

*Number of  
 subscriptions:* 4 systems, auto-  
 matic or manual  
 selection

### SAR

*SAR<sub>10g</sub> (Specific  
 Absorption Rate):* 0.02 mW/g

### Classifications

*Enclosure  
 protection:* IP64, IEC 60529  
*Free fall test:* IEC 68-2-32 Ed  
 procedure 1

### Standards

*DECT:* EN 301 406,  
 TBR10, TBR22  
*EMC:* EN 55022 (class B),  
 EN 61000-4-2, EN  
 61000-4-3  
*Low Voltage  
 Directive:* EN 60950  
*SAR:* EN 50360 (Europe),  
 ACA RS 2001  
 (Australia)

## DT412 and DT422

**The DT412 and DT422 robust cordless phones  
 provide all the functions you might need.**

Function	DT412	DT422
SIM card with phone book	Yes	Yes
Vibrator	Yes	Yes
Microphone on/off during call	Yes	Yes
Loud speaking	Yes	Yes
Headset connector	Yes	Yes
Messaging*	Yes	Yes
Acknowledge*	Yes	Yes
Interactive messaging*	Yes	Yes
SMS (Short Message Service) *	Yes	Yes
Data Send*	Yes	Yes
Data with prefix*	Yes	Yes
Personal alarm*	-	Yes
Alarm with Data*	-	Yes
Location*	-	Yes
Man-down & No-movement alarm*	-	Yes

\* System dependent feature (requires messaging server)

### Technical requirements

The DT4X2 cordless phones are DECT-GAP and DECT-CAP compliant. The handsets cannot be used on existing A/B protocol systems.

The DT412, DT422 support reception and sending of SMS messages. All messaging functions (including alarm-button and no-movement alarm) require that the functionality also be supported by the messaging application attached to the DCT1800-GAP R2.0, BusinessPhone R12 or MD110 BC11.

The DT412 and DT422 cordless phones have been approved for all EC/EFTA countries and Australia.

The 4X2 cordless phone can be used on all Ericsson DECT GAP/CAP compliant business cordless telephone systems:

- MD110 with integrated cordless.
- BusinessPhone 50, BusinessPhone 250 and BusinessPhone 128i with integrated cordless
- MD Evolution M/XL with integrated cordless
- Radio Exchange DCT1800-GAP
- Radio Exchange DCT1800-S

The DT4X2 however has not been tested on other vendor systems. Functionality of the DT4X2 on other vendor systems can not be guaranteed.

#### Asia Pacific

Ericsson Enterprise  
3420 Persiaran Sepang  
63000 Cyberjaya  
Selangor Darul Ehsan  
Malaysia  
Phone: +60 3 8314 6000  
enterprise.asiapacific@ericsson.com

#### Americas

Ericsson Enterprise  
6300 Legacy Drive  
Plano, TX 75024  
USA  
enterprise.americas@ericsson.com

#### Europe, Middle East, Africa

Ericsson Enterprise  
Avenue du Bourget 44 Bourgetlaan  
B-1130 Brussels  
BELGIUM  
Phone: +32 2 745 12 11  
enterprise.europe@ericsson.com

#### Nordic

Ericsson Enterprise  
LM Ericssons väg 8  
126 25 Stockholm  
SWEDEN  
Phone: +46 8 568 67 000  
enterprise.nordic@ericsson.com